BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.



Figure 1



Figure 2A



Figure 2



Figure 3


27Al-NMR
62
HY
10%Al-MSU-S
20%Al-MSU-S
2%Al-MSU-S
250 200 150 100 50 0 -50 -100-150
ppm

Figure 4


211
220
400
420
332
Intensity
10%Al-MSU-S
(Cubic, form Y seeds)
2%Al-MCM-48
(From conventional precursors)
2
4
6
8
10
2Θ

Figure 5


27Al-NMR
62
58
10%Al-MSU-S
(From Y seeds)
2%Al-MCM-48
(From conventional
precursors)
250 200 150 100 50 0 -50 -100 -150
ppm

Figure 6



Figure 7


S_{BET}: 677 m^2/g
Pore Vol: 1.27 cc/g
10%Al-MSU-S
From Y-seeds
N_2 Volume Adsorbed (cc/g, STP)
Relative pressure (P/Po)
0
200
400
600
800
1000
0
0.2
0.4
0.6
0.8
1

Figure 8



Figure 9


Samples exposed to 20%
steam in N2 at 800°C for 5 hours
Intensity
20%Al-MSU-S
10%Al-MSU-S
2%Al-MCM-41
2
4
6
8
10
2θ

Figure 10

Testing of Mokaya's Al-MCM-41(Si/Al=6.1)



Figure 11A



Figure 11B



Figure 11C



Figure 12A

Figure 12B



Figure 13A

Figure 13B



Figure 14


IR Spectra
1
0.8
0.6
0.4
0.2
Transmittance(%)
5%Al-MCM-41
(From conventional precursors)
2%Al-MSU-S
(From ZSM-5 seeds)
ZSM-5 (Si/Al=50)
561
550
800
750
700
650
600
550
500
450
400
Wave Number(cm -1)

Figure 15



Figure 16



Figure 17A

Figure 17B

Figure 17C



Figure 18A

Figure 18B



Figure 19



Figure 20



Figure 21



Figure 21A



Figure 22



Figure 23



Figure 23A



Figure 24



Figure 24A



Figure 25



Figure 25A



Figure 26



Figure 26A



Figure 27A

Figure 27B



Figure 28



Figure 28A



Figure 29



Figure 30



Figure 30A



Figure 31


Vent
3 mm OD quartz
Sample
10 mm OD quartz
Quartz chips
Sample
chamber

Figure 31A

FIGURE 32 (Example 31)



FIGURE 33 (Example 31)





FIGURE 33A

FIGURE 34 (Example 31)



FIGURE 35 (Example 32)



FIGURE 36 (Example 32)





FIGURE 36A

FIGURE 37 (Example 33)



FIGURE 38 (Example 33)





FIGURE 38A

FIGURE 39 (Example 34)



FIGURE 40 (Example 34)





FIGURE 40A

FIGURE 41 (Example 35)



FIGURE 42 (Example 35)





FIGURE 42A

FIGURE 43 (Example 36)



FIGURE 44 (Example 36)





FIGURE 44A

FIGURE 45 (Example 37)



FIGURE 46 (Example 37)





FIGURE 47


600
500
400
300
200
100
0
N_2 adsorbed volume (cc/g, STP)
SA (m^2/g) Pore Vol(cc/g)
Fresh calcined: 754 0.73
Steamed: 627 0.62
0
0.2
0.4
0.6
0.8
1
P/Po

FIGURE 48



FIGURE 49


400
300
200
100
0
0
0.2
0.4
0.6
0.8
1
N2 adsorbed volume (cc/g, STP)
P/Po
SA (m2/g) Pore Vol(cc/g)
Fresh calcined: 944 0.64
Steamed: 763 0.57

FIGURE 50



FIGURE 51